

H3C Fiber Optic Switch Login



Article Overview

You can log in to an H3C fiber optic switch via the console port for initial setup or through the web interface using the device's IP address and default credentials.

Console Login (Initial Access)

- Connect the management machine to the switch's console port using a console cable (DB-9 to RJ-45) and set the terminal software parameters: baud rate 9600, 8 data bits, 1 stop bit, no parity .
- Power on the switch. When the message Hit ESC to stop autoboot appears, press ESC within 5 seconds to enter the startup interface.
- Enter Command Shell by selecting option 3, then check the startup environment with printenv.
- Modify the startup environment if needed using setenv OSLoadOptions "single" and save with saveenv.
- Boot the switch in single-user mode with the boot command.
- Mount the root partition and backup partition to enable read/write access.
- Reset all passwords to default using /sbin/passwddefault.
- Reboot the switch with reboot -f. After restart, log in with username: admin and password: password .

Web Interface Login

- Connect an Ethernet cable from your PC to a switch port.
- Identify the switch IP address:
- If DHCP is available, the switch obtains an IP automatically.
- If no DHCP, use the default IP printed on the device label....

Article Content

Enable Web Interface on H3C Switches? Can It Streamline Your

Enabling the web interface transforms those archaic H3C switches into visual dashboards. Suddenly, drag-and-drop VLAN

H3C S1600V2 Switch Series Web Configuration Guide

Open the browser, enter in the address bar, and then press Enter. 192.168.0.233 is the default management IP

H3C Switch Password Recovery-Temporarily Clear Console

Moduletek Laboratory takes the H3C S6850-56HF switch as an example to introduce another password recovery

H3C Campus Fixed-Port Switches Web-Based Configuration Guide

The H3C Campus Fixed-Port Switches Web-Based Configuration Guide describes the web functions of the H3C Campus Fixed-Port

download.h3c

Hier sollte eine Beschreibung angezeigt werden, diese Seite lässt dies jedoch nicht zu.

H3C Router Login Guide - Default IP Address, Admin Password

Learn how to access your H3C router using the default IP address 192.168.124.1 and admin credentials. This step-by-step guide

H3C Series Ethernet Switches

The following three authentication modes are available for users logging into H3C Ethernet switches through the Console ports. To

An Industry Leader in the Provision of Digital Solutions-H3C-H3C

H3C is committed to becoming the most trusted partner of its customers in their quest for business innovation and digital

H3C S1600V2 Switch Series Web Configuration Guide

Navigation pane—Provides the Web menu for device functions in a tree structure. You can easily select function menus in the

H3C Campus Fixed-Port Switches Web-Based Configuration Guide

To perform Web login for these devices, you must first log in to the devices through the console port and configure the settings as

H3C S9500E SERIES CONNECTING MANUAL Pdf Download

View and Download H3C S9500E Series connecting manual online. S9500E Series switch pdf manual download.

H3C switch HTTP access configuration complete guide: from ...

At this point, we need to enter the correct username and password to log in. If it is the first time to log in to a new

Basic CLI Commands on H3C Switch

Learn how to create users, VLANs, enable Telnet and SSH, configure Spanning Tree Protocol, enable

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.thebucketlistbook.co.za>

Email: sales@thebucketlistbook.co.za

Phone: +33 1 42 78 39 16

Address: 10 Rue de la Paix, 75002 Paris, France

This document is for informational purposes only. Specifications subject to change without notice.

